



PRICE LIST

2016 – 2017

External
Skeletal Fixation

Joint
Stabilization

Pin & Wire
Accessories

Drill Bits &
Sleeves

K-Wire & Orthopedic
Wire

Acrylx™ ESF Acrylic System

70011	Acrylx™ Applicator Gun	149.00
70012	Acrylx™ Resin Cartridge	91.00
70013	Acrylx™ Mixing Tip, Fine (Blue)	1.50
70014	Acrylx™ Mixing Tip, Medium (Yellow)	1.50
70015	Acrylx™ Mixing Tip, Large (Pink)	1.50
70016	Acrylx™ Mixing Tip, Extra Large (Blue-green)	1.50
70020	Acrylx™ Corrugated Tubing 6mm x 300mm	1.50
70050	Acrylx™ Corrugated Tubing 10mm x 300mm	1.50
70060	Acrylx™ Adapter Plug	1.00
70060R	Acrylx™ Solid Plug	0.50
70080	Acrylx™ Accessory Pack	27.00

Mini SK® ESF System

300.SKTFD	SK® Mini ESF Starter Kit - Duraface®	558.00
300.SKTFDNP	SK® Mini ESF Starter Kit - Duraface® No-Point	555.00
300.SKT	SK® Mini ESF Starter Kit - Interface®	558.00
300.SKTNP	SK® Mini ESF Starter Kit - Interface® No-Point	555.00
300.000	SK® Mini ExFix Single Clamp Complete	16.50
300.999	SK® Mini ExFix Double Clamp Complete	18.00
300.001	SK® Mini ExFix Pin-gripping Clamp Bolt	9.00
300.002S	SK® Mini ExFix Clamp Body Pair	8.00
300.003	Mini Hex Bolt 4mm x 8mm	1.50
4.30006	Hex Nut 4mm (7mm wrench)	1.00
24200	Mini Stainless Steel Rod 3.2mm x 50mm	3.00
24300	Mini Stainless Steel Rod 3.2mm x 75mm	3.25
24400	Mini Stainless Steel Rod 3.2mm x 100mm	3.25
24500	Mini Stainless Steel Rod 3.2mm x 125mm	3.50
24600	Mini Stainless Steel Rod 3.2mm x 150mm	3.50
4.50003	7mm Combination Wrench	20.00
4.50004	7mm Angled Socket Wrench	20.00
34015	Drill Sleeve/ESF for 1.5mm Bit	18.75
34020	Drill Sleeve/ESF for 2.0mm Bit	18.75

Small SK® ESF System

400.SKTFD	SK® Small ESF Starter Kit - Duraface®	705.00
400.SKTFDNP	SK® Small ESF Starter Kit - Duraface® No-Point	696.00
400.SKT	SK® Small ESF Starter Kit - Interface®	705.00
400.SKTNP	SK® Small ESF Starter Kit - Interface® No-Point	696.00
400.000	SK® Small ExFix Single Clamp Complete	18.50
400.999	SK® Small ExFix Double Clamp Complete	20.00
400.001	SK® Small ExFix Pin-gripping Clamp Bolt	10.00
400.002S	SK® Small ExFix Clamp Body Pair	9.00
400.003	Small Hex Bolt 5mm x 10mm	1.50
400.004	Small Hex Nut 5mm (8mm wrench)	1.00
405.050	Small Titanium Rod 6.3mm x 50mm	5.50
405.100	Small Titanium Rod 6.3mm x 100mm	8.50
405.150	Small Titanium Rod 6.3mm x 150mm	11.00
405.200	Small Titanium Rod 6.3mm x 200mm	14.00
405.250	Small Titanium Rod 6.3mm x 250mm	17.50
406.050	Small Carbon Fiber Rod 6.3mm x 50mm	5.50
406.100	Small Carbon Fiber Rod 6.3mm x 100mm	9.00
406.150	Small Carbon Fiber Rod 6.3mm x 150mm	13.00
406.200	Small Carbon Fiber Rod 6.3mm x 200mm	16.00
406.250	Small Carbon Fiber Rod 6.3mm x 250mm	20.00

408.801	8mm Combination Wrench	21.00
408.802	8mm Angled Socket Wrench	21.00

34023	Drill Sleeve/ESF for 2.3mm Bit	24.00
34027	Drill Sleeve/ESF for 2.7mm Bit	24.00
34031	Drill Sleeve/ESF for 3.1mm Bit	24.00

430.000	Small SK® Range of Motion (ROM™) Hinge	290.00
---------	--	--------

Large SK® ESF System

500.SKTFD	SK® Large ESF Starter Kit - Duraface®	781.00
500.SKTFDNP	SK® Large ESF Starter Kit - Duraface® No-Point	771.00
500.SKT	SK® Large ESF Starter Kit - Interface®	781.00
500.SKTNP	SK® Large ESF Starter Kit - Interface® No-Point	771.00

500.000	SK® Large ExFix Single Clamp Complete	21.50
500.999	SK® Large ExFix Double Clamp Complete	22.00

500.001	SK® Large ExFix Pin-gripping Clamp Bolt	11.75
500.002S	SK® Large ExFix Clamp Body Pair	10.00
2.30006	Hex Nut 6mm (10mm wrench)	1.00
2.30007	Hex Bolt 6mm x 12mm	2.00

506.050	Large Carbon Fiber Rod 9.5mm x 50mm	6.25
506.100	Large Carbon Fiber Rod 9.5mm x 100mm	7.75
506.150	Large Carbon Fiber Rod 9.5mm x 150mm	9.00
506.200	Large Carbon Fiber Rod 9.5mm x 200mm	10.50
506.250	Large Carbon Fiber Rod 9.5mm x 250mm	12.00
506.300	Large Carbon Fiber Rod 9.5mm x 300mm	14.00
506.350	Large Carbon Fiber Rod 9.5mm x 350mm	17.00
508.102	10mm Angled Socket Wrench	22.00
2.50003	10mm Combination Wrench	22.00

34031	Drill Sleeve/ESF for 3.1mm Bit	24.00
34035	Drill Sleeve/ESF for 3.5mm Bit	27.00
34039	Drill Sleeve/ESF for 3.9mm Bit	27.00

530.000	Large SK® Range of Motion (ROM™) Hinge	315.00
---------	--	--------

SK® Hybrid External Skeletal Fixation

MHYSKT	SK® Mini Hybrid ESF Starter Kit	365.00
HYSKT	SK® Small Hybrid ESF Starter Kit	1415.00

410.000	Universal SK® Hybrid Adapter	64.00
---------	--	-------

307.125	Mini Hybrid Rod 3.2mm x 125mm (4mm Thread)	8.50
---------	--	------

407.050	Titanium Hybrid Rod 6.3mm x 50mm	12.00
407.075	Titanium Hybrid Rod 6.3mm x 75mm	13.50
407.100	Titanium Hybrid Rod 6.3mm x 100mm	14.00
407.150	Titanium Hybrid Rod 6.3mm x 150mm	15.25
407.200	Titanium Hybrid Rod 6.3mm x 200mm	21.00
407.250	Titanium Hybrid Rod 6.3mm x 250mm	24.00

420.100	VariBall Locking Hybrid Rod 6.3mm x 100mm	99.00
420.150	VariBall Locking Hybrid Rod 6.3mm x 150mm	104.00
420.200	VariBall Locking Hybrid Rod 6.3mm x 200mm	108.00
420.250	VariBall Locking Hybrid Rod 6.3mm x 250mm	112.00

507.050	Titanium Hybrid Rod 9.5mm x 50mm	23.00
507.075	Titanium Hybrid Rod 9.5mm x 75mm	26.00
507.100	Titanium Hybrid Rod 9.5mm x 100mm	27.00
507.150	Titanium Hybrid Rod 9.5mm x 150mm	28.00
507.200	Titanium Hybrid Rod 9.5mm x 200mm	29.00
507.250	Titanium Hybrid Rod 9.5mm x 250mm	33.00
507.300	Titanium Hybrid Rod 9.5mm x 300mm	37.00
507.350	Titanium Hybrid Rod 9.5mm x 350mm	45.00

Prices Subject to Change



Circular External Skeletal Fixation

2.00000	IMEX® Circular Fixation Deluxe Starter Kit	2838.00
2.00001	IMEX® Circular Fixation Basic Starter Kit	1702.00
2.15001	Full Ring 50mm x 3.2mm.	34.00
2.16601	Full Ring 66mm x 3.2mm.	36.00
2.18401	Full Ring 84mm x 4.7mm.	44.50
2.11181	Full Ring 118mm x 6.3mm.	57.25
2.15002	5/8 Ring 50mm x 3.2mm.	34.50
2.16602	5/8 Ring 66mm x 3.2mm.	36.50
2.18402	5/8 Ring 84mm x 4.7mm.	45.00
2.11182	5/8 Ring 118mm x 6.3mm.	57.50
2.15003	1/3 Ring 50mm x 3.2mm.	22.00
2.16603	1/3 Ring 66mm x 3.2mm.	24.50
2.18403	1/3 Ring 84mm x 4.7mm.	25.50
2.11183	1/3 Ring 118mm x 6.3mm.	36.25
2.15004	Stretch Ring 50mm x 3.2mm.	55.50
2.16604	Stretch Ring 66mm x 3.2mm.	58.50
2.18404	Stretch Ring 84mm x 4.7mm.	62.50
2.11184	Stretch Ring 118mm x 6.3mm.	65.50
2.15005	D ² Ring 50mm x 3.2mm	56.00
2.16605	D ² Ring 66mm x 3.2mm	58.50
2.18405	D ² Ring 84mm x 4.7mm	62.50
2.80140	Spinal Arch 140mm x 6.3mm	57.00
2.80220	Spinal Arch 220mm x 6.3mm	64.00
2.25500	Linear Motor 50mm.	35.00
2.25700	Linear Motor 70mm.	37.00
2.25100	Linear Motor 100mm.	39.00
2.26600	Threaded Rod/Hex 6mm x 60mm.	9.50
2.26800	Threaded Rod/Hex 6mm x 80mm.	10.00
2.26100	Threaded Rod/Hex 6mm x 100mm.	10.25
2.26150	Threaded Rod/Hex 6mm x 150mm.	10.75
2.26255	Threaded Rod/Hex 6mm x 255mm.	14.75
2.30001	Extended Nut 6mm x 12mm	10.00
2.30002	20mm Spacer	5.50
2.30003	6mm x 40mm Hex Bolt	3.50
2.30004	Cannulated/Slotted Wire Fixation Bolt 6mm.	10.75
2.30005	Slotted Wire Fixation Washer 6mm	5.50
2.30006	Hex Nut 6mm Stainless Steel	1.00
2.30007	6mm x 12mm Hex Bolt Stainless Steel	2.00
2.30008	6mm Flat Washer	1.00
2.30009	Half-pin Fixation Bolt	14.50
2.30016	6mm x 16mm Hex Bolt Stainless Steel	3.00
2.70001	Nylon Zero Tolerance Nut	5.25
2.70002	Two-hole Ring/Motor Plate	11.25
2.70005	One-hole Post	19.00
2.70006	Two-hole Post	20.00
2.70007	6mm Spherical Nut	6.75
2.70008	6mm Spherical Washer	5.25
2.60001	Angular Hinge Assembly	31.00
2.60002	Angular Motor Assembly 100mm.	104.00
2.60003	Angular Motor Assembly 150mm.	108.00
2.40001	Smooth Fixation Wire 1.6mm x 220mm.	10.50
2.40002	Stopper Fixation Wire 1.6mm x 200mm	16.35
2.40003	Stopper Fixation Wire 1.3mm x 165mm	16.35
2.50001	3mm Hex Driver, Straight.	19.00
2.50002	3mm Hex Driver, "L"	20.00
2.50005	10mm Double Wrench for Nylon Nut	72.00
508.102	10mm Angled Socket Wrench	22.00
2.50003	10mm Combination Wrench	22.00
2.50014	Dyna™ Wire Tensioner	285.00
2.80001	Small SK® Clamp for 6mm Threaded Rod.	21.50

Miniature Circular External Skeletal Fixation

4.00001	IMEX® Miniature Circular Fixation Starter Kit.	738.00
4.13501	Full Ring 35mm x 2.4mm, Mini	26.00
4.14501	Full Ring 45mm x 2.4mm, Mini	29.00
4.14504	Stretch Ring 45mm x 2.4mm, Mini	31.00
4.26050	Threaded Rod 4mm x 50mm.	5.00
4.26075	Threaded Rod 4mm x 75mm.	5.25
4.26100	Threaded Rod 4mm x 100mm.	5.75
4.30001	4mm Slotted/Cannulated Wire Fixation Bolt (6 per pkg).	36.00
4.30005	4mm Slotted Wire Fixation Washer (6 per pkg)	41.00
4.30006	4mm Hex Nut Stainless.	1.00
4.30008	4mm Flat Washer Stainless	0.50
4.60001	Angular Hinge Assembly, Mini	26.00
4.70001	4mm Nylon Zero Tolerance Nut	5.25
4.70005	One-hole Post, Mini.	15.00
4.70007	4mm Spherical Nut	5.00
4.70008	4mm Spherical Washer	3.75
300.003	Hex Bolt 4mm x 8mm	1.50
4.50003	7mm Combination Wrench	20.00
4.50004	7mm Angled Socket Wrench.	20.00
4.50005	7mm Double Wrench for Zero Tolerance Nuts.	66.00
4.40002	Stopper Wire 1.0mm x 125mm, Trocar Point.	10.50

Miniature ESF Full-Pins (6 per package)

02035	0.9mm (0.035") Shaft Miniature Centerface® Full-pin	52.50
02045	1.1mm (0.045") Shaft Miniature Centerface® Full-pin	52.50
02062	1.6mm (0.062") Shaft Miniature Centerface® Full-pin	52.50

Miniature ESF Half-Pins (6 per package)

03035	0.9mm (0.035") Shaft Miniature Interface® Half-pin.	27.50
03045	1.1mm (0.045") Shaft Miniature Interface® Half-pin.	27.50
03062	1.6mm (0.062") Shaft Miniature Interface® Half-pin.	27.50
03078	2.0mm (5/64") Shaft Miniature Interface® Half-pin.	27.50
03094	2.4mm (3/32") Shaft Miniature Interface® Half-pin (1 per pkg)	7.05

Miniature Stick-Pins (6 per package)

06035	0.9mm (0.035") Shaft Miniature Stick-pin	27.50
06045	1.1mm (0.045") Shaft Miniature Stick-pin	27.50
06062	1.6mm (0.062") Shaft Miniature Stick-pin	27.50
06078	2.0mm (5/64") Shaft Miniature Stick-pin.	27.50

Prices Subject to Change

Interface® ESF Half-Pins

15020	Interface® 2.0/2.5mm	9.25
15332	Interface® 2.4/3.2mm	9.75
15764	Interface® 2.8/3.5mm	10.00
15030	Interface® 3.0/3.5mm	10.25
15180	Interface® 3.2/4.0mm	10.25
15964	Interface® 3.5/4.3mm	11.00
15532	Interface® 4.0/4.8mm	13.00
15020NP	Interface® No-Point 2.0/2.5mm	9.00
15332NP	Interface® No-Point 2.4/3.2mm	9.50
15764NP	Interface® No-Point 2.8/3.5mm	9.75
15180NP	Interface® No-Point 3.2/4.0mm	10.00
15964NP	Interface® No-Point 3.5/4.3mm	10.50
15532NP	Interface® No-Point 4.0/4.8mm	12.75
1533L	Interface® 2.4/3.2mm Ext. Length	10.00
1576L	Interface® 2.8/3.5mm Ext. Length	11.00
1518L	Interface® 3.2/4.0mm Ext. Length	11.25
1596L	Interface® 3.5/4.3mm Ext. Length	13.00
1553L	Interface® 4.0/4.8mm Ext. Length	14.25
1533LNP	Interface® No-Point 2.4/3.2mm Ext. Length	9.75
1576LNP	Interface® No-Point 2.8/3.5mm Ext. Length	10.75
1518LNP	Interface® No-Point 3.2/4.0mm Ext. Length	11.00
1596LNP	Interface® No-Point 3.5/4.3mm Ext. Length	12.75
1553LNP	Interface® No-Point 4.0/4.8mm Ext. Length	14.00
16332	Interface® Cancellous 2.4/3.5mm	11.00
16180	Interface® Cancellous 3.2/4.8mm	13.50
16316	Interface® Cancellous 4.8/6.3mm	17.50
1633L	Interface® Cancellous 2.4/3.5mm Ext. Length	13.25
1618L	Interface® Cancellous 3.2/4.8mm Ext. Length	16.50
1631L	Interface® Cancellous 4.8/6.3mm Ext. Length	19.50

Centerface® ESF Full-Pins

20020	Centerface® 2.0/2.5mm	9.75
20332	Centerface® 2.4/3.2mm	10.25
20764	Centerface® 2.8/3.5mm	12.25
20030	Centerface® 3.0/3.5mm	12.50
20180	Centerface® 3.2/4.0mm	12.50
20964	Centerface® 3.5/4.3mm	13.50
20532	Centerface® 4.0/4.8mm	14.25
20020NP	Centerface® No-Point 2.0/2.5mm	9.50
20332NP	Centerface® No-Point 2.4/3.2mm	9.75
20764NP	Centerface® No-Point 2.8/3.5mm	11.50
20180NP	Centerface® No-Point 3.2/4.0mm	11.75
20964NP	Centerface® No-Point 3.5/4.3mm	12.50
20532NP	Centerface® No-Point 4.0/4.8mm	13.50
2033L	Centerface® 2.4/3.2mm Ext. Length	11.50
2076L	Centerface® 2.8/3.5mm Ext. Length	12.75
2018L	Centerface® 3.2/4.0mm Ext. Length	13.00
2096L	Centerface® 3.5/4.3mm Ext. Length	14.25
2053L	Centerface® 4.0/4.8mm Ext. Length	17.00
2033LNP	Centerface® No-Point 2.4/3.2mm Ext. Length	11.00
2076LNP	Centerface® No-Point 2.8/3.5mm Ext. Length	12.25
2018LNP	Centerface® No-Point 3.2/4.0mm Ext. Length	12.50
2096LNP	Centerface® No-Point 3.5/4.3mm Ext. Length	13.75
2053LNP	Centerface® No-Point 4.0/4.8mm Ext. Length	16.50
21332	Centerface® Cancellous 2.4/3.5mm	13.25
21180	Centerface® Cancellous 3.2/4.8mm	14.75
21316	Centerface® Cancellous 4.8/6.3mm	19.25
2133L	Centerface® Cancellous 2.4/3.5mm Ext. Length	14.50
2118L	Centerface® Cancellous 3.2/4.8mm Ext. Length	15.75
2131L	Centerface® Cancellous 4.8/6.3mm Ext. Length	24.50

Duraface® ESF Half-Pins

17020	Duraface® 2.5mm	9.25
17332	Duraface® 3.2mm	9.75
17764	Duraface® 3.5mm	10.00
17180	Duraface® 4.0mm	10.25
17964	Duraface® 4.3mm	11.00
17532	Duraface® 4.8mm	13.00
17020NP	Duraface® No-Point 2.5mm	9.00
17332NP	Duraface® No-Point 3.2mm	9.50
17764NP	Duraface® No-Point 3.5mm	9.75
17180NP	Duraface® No-Point 4.0mm	10.00
17964NP	Duraface® No-Point 4.3mm	10.50
17532NP	Duraface® No-Point 4.8mm	12.75
1733L	Duraface® 3.2mm Ext. Length	10.00
1776L	Duraface® 3.5mm Ext. Length	11.00
1718L	Duraface® 4.0mm Ext. Length	11.25
1796L	Duraface® 4.3mm Ext. Length	13.00
1753L	Duraface® 4.8mm Ext. Length	14.25
1733LNP	Duraface® No-Point 3.2mm Ext. Length	9.75
1776LNP	Duraface® No-Point 3.5mm Ext. Length	10.50
1718LNP	Duraface® No-Point 4.0mm Ext. Length	10.75
1796LNP	Duraface® No-Point 4.3mm Ext. Length	12.75
1753LNP	Duraface® No-Point 4.8mm Ext. Length	14.00
17020SNP	Duraface® Short No-Point 2.5mm	9.00
17332SNP	Duraface® Short No-Point 3.2mm	9.50
17764SNP	Duraface® Short No-Point 3.5mm	9.75
17180SNP	Duraface® Short No-Point 4.0mm	10.00
17964SNP	Duraface® Short No-Point 4.3mm	10.50
17532SNP	Duraface® Short No-Point 4.8mm	12.75

Pin Caps

CAPBLACK	Pin Cap, Black 2.0mm (~50 per pkg)	9.00
CAPWHITE	Pin Cap, White 2.4mm (~50 per pkg)	9.00
CAPBLUE	Pin Cap, Blue 3.2mm (~50 per pkg)	9.00
CAPGRAY	Pin Cap, Gray 4.0mm (~50 per pkg)	9.00

Prices Subject to Change



Large Animal Transfixation Pins

2231LA	Duraface® L.A. Transfixation Pin/Central Threads 4.8/6.3mm Shaft	25.50
2131T	Tap for 4.8mm Duraface® L.A. Transfixation Pin (Part No. 2231LA)	79.00
22140	Duraface® L.A. Transfixation Pin/Central Threads 6.3/8.0mm Shaft	33.00
2114T	Tap for 6.3mm Duraface® L.A. Transfixation Pin (Part No. 22140)	83.00

TPLO Support Products

22222	SCAT™ TPLO Jig Pin 1.6mm	5.25
23222	SCAT™ TPLO Jig Pin 2.0mm	5.25
24222	SCAT™ TPLO Jig Pin 2.4mm	5.75
25030	SCAT™ TPLO Jig Pin 3.0mm	6.00
25222	SCAT™ TPLO Jig Pin 3.2mm	6.50
29000	TPLO Saw Blade Adapter	73.00
29210	Parallel Pin Guide 1.6mm / 2.0mm	105.00
29200	Mini TPLO Jig	240.00
29216	Mini TPLO Jig Limb 1.6mm	54.00
29016	TPLO Reduction Pin 1.6mm x 130mm	6.75
29020	TPLO Reduction Pin 2.0mm x 155mm	7.00

Ventura Stifle Thrust Levers

29400	Mini Ventura Stifle Thrust Lever	194.00
29500	Standard Ventura Stifle Thrust Lever	194.00

Trans-Ilial Rods And Nuts

57032	Trans-Ilial Rod 3.2mm x 125mm	16.00
57040	Trans-Ilial Rod 4.0mm x 155mm	17.00
57047	Trans-Ilial Rod 4.7mm x 175mm	19.00
57132	Trans-Ilial Nut 3.2mm	10.50
57140	Trans-Ilial Nut 4.0mm	10.50
57147	Trans-Ilial Nut 4.7mm	10.50
57232	Multi-purpose Orthopedic Washer 9mm	10.50
57240	Multi-purpose Orthopedic Washer 10mm	10.50
57247	Multi-purpose Orthopedic Washer 11mm	10.50
4.50003	7mm Combination Wrench	20.00
4.50004	7mm Angled Socket Wrench	20.00
408.801	8mm Combination Wrench	21.00
408.802	8mm Angled Socket Wrench	21.00

Drill Bits

32020	StickTite™ Drill Bit 2.0mm x 120mm	37.00
32023	StickTite™ Drill Bit 2.3mm x 125mm	37.00
32025	StickTite™ Drill Bit 2.5mm x 135mm	37.00
32027	StickTite™ Drill Bit 2.7mm x 140mm	37.00
32031	StickTite™ Drill Bit 3.1mm x 150mm	37.00
32035	StickTite™ Drill Bit 3.5mm x 160mm	37.00
32039	StickTite™ Drill Bit 3.9mm x 165mm	37.00
32062	StickTite™ Drill Bit 6.2mm x 180mm	50.00
33011	Standard ESF Drill Bit 1.1mm x 75mm	40.00
33015	Standard ESF Drill Bit 1.5mm x 85mm	40.00
33023	Standard ESF Drill Bit 2.3mm x 130mm	27.00
33031	Standard ESF Drill Bit 3.1mm x 150mm	27.00
33039	Standard ESF Drill Bit 3.9mm x 160mm	27.00
33047	Standard ESF Drill Bit 4.7mm x 170mm	27.00

Drill Sleeves

34015	Drill Sleeve/ESF for 1.5mm Bit	18.75
34020	Drill Sleeve/ESF for 2.0mm Bit	18.75
34023	Drill Sleeve/ESF for 2.3mm Bit	24.00
34027	Drill Sleeve/ESF for 2.7mm Bit	24.00
34031	Drill Sleeve/ESF for 3.1mm Bit	24.00
34035	Drill Sleeve/ESF for 3.5mm Bit	27.00
34039	Drill Sleeve/ESF for 3.9mm Bit	27.00

IM Pins

10SKT	Smooth IM Pin Starter Kit	188.00
10116	Smooth Trocar/Trocar IM Pin 1/16" x 9" (1.6mm x 230mm)	4.30
10564	Smooth Trocar/Trocar IM Pin 5/64" x 9" (2.0mm x 230mm)	4.55
10332	Smooth Trocar/Trocar IM Pin 3/32" x 9" (2.4mm x 230mm)	4.85
10764	Smooth Trocar/Trocar IM Pin 7/64" x 9" (2.8mm x 230mm)	4.90
10180	Smooth Trocar/Trocar IM Pin 1/8" x 9" (3.2mm x 230mm)	5.00
1018L	Smooth Trocar/Trocar IM Pin 1/8" x 12" (3.2mm x 305mm)	6.10
10964	Smooth Trocar/Trocar IM Pin 9/64" x 9" (3.5mm x 230mm)	5.40
10532	Smooth Trocar/Trocar IM Pin 5/32" x 9" (4.0mm x 230mm)	5.90
1053L	Smooth Trocar/Trocar IM Pin 5/32" x 12" (4.0mm x 305mm)	7.45
1031S	Smooth Trocar/Trocar IM Pin 3/16" x 9" (4.8mm x 230mm)	7.50
10316	Smooth Trocar/Trocar IM Pin 3/16" x 12" (4.8mm x 305mm)	8.50
1014S	Smooth Trocar/Trocar IM Pin 1/4" x 9" (6.3mm x 230mm)	10.85
10140	Smooth Trocar/Trocar IM Pin 1/4" x 12" (6.3mm x 305mm)	12.40
11SKT	Partial Thread IM Pin Starter Kit	219.00
11116	Partial Thread Trocar/Trocar IM Pin 1/16" x 9" (1.6mm x 230mm)	5.75
11564	Partial Thread Trocar/Trocar IM Pin 5/64" x 9" (2.0mm x 230mm)	6.00
11332	Partial Thread Trocar/Trocar IM Pin 3/32" x 9" (2.4mm x 230mm)	6.50
11764	Partial Thread Trocar/Trocar IM Pin 7/64" x 9" (2.8mm x 230mm)	6.65
11180	Partial Thread Trocar/Trocar IM Pin 1/8" x 9" (3.2mm x 230mm)	6.75
11964	Partial Thread Trocar/Trocar IM Pin 9/64" x 9" (3.5mm x 230mm)	7.30
11532	Partial Thread Trocar/Trocar IM Pin 5/32" x 9" (4.0mm x 230mm)	7.85
11316	Partial Thread Trocar/Trocar IM Pin 3/16" x 12" (4.8mm x 305mm)	10.35
11140	Partial Thread Trocar/Trocar IM Pin 1/4" x 12" (6.3mm x 305mm)	14.70

K-Wire (6 per package)

00028	K-wire 0.028" x 5" (0.7mm x 125mm)	17.85
00035	K-wire 0.035" x 6" (0.9mm x 150mm)	17.85
00045	K-wire 0.045" x 6" (1.1mm x 150mm)	17.85
00062	K-wire 0.062" x 6" (1.6mm x 150mm)	17.85
01035	K-wire 0.035" x 9" (0.9mm x 230mm)	18.85
01045	K-wire 0.045" x 9" (1.1mm x 230mm)	18.85
01054	K-wire 0.054" x 9" (1.4mm x 230mm)	18.85
01062	K-wire 0.062" x 9" (1.6mm x 230mm)	18.85
30015	K-wire Bender 0.9mm – 1.1mm	59.00
30016	K-wire Bender 1.4mm – 1.6mm	59.00

Prices Subject to Change

Orthopedic Wire	
04016	Orthopedic Wire, 1.2mm (16 gauge) 1 oz. Spool. 14.00
04018	Orthopedic Wire, 1.0mm (18 gauge) 1 oz. Spool. 14.00
04020	Orthopedic Wire, 0.8mm (20 gauge) 1 oz. Spool. 14.00
04022	Orthopedic Wire, 0.6mm (22 gauge) 1 oz. Spool. 14.00

05016	Orthopedic Wire, 1.2mm (16 gauge) 10 meters. 20.75
05018	Orthopedic Wire, 1.0mm (18 gauge) 10 meters. 19.25
05020	Orthopedic Wire, 0.8mm (20 gauge) 10 meters. 16.50
05022	Orthopedic Wire, 0.6mm (22 gauge) 10 meters. 14.00

Pin And Wire Accessories

30001	Extended Chuck & Key for Power Surgery Drill 184.00
30002	Hand Chuck with Key & Extension 181.00
30003	Chuck Key Only. 16.00
30010	Power Surgery Drill w/Extended Chuck & Key. 345.00
30005	IM Pin Organizer Bag. 31.00
30006	Cloth Drill Shroud. 24.00
30008	Mini Hand Chuck. 182.00
30009	IM Pin Gauge/Scale. 26.00
30015	K-wire Bender 0.9mm – 1.1mm 59.00
30016	K-wire Bender 1.4mm – 1.6mm 59.00

Suture Anchors

60-00-00	Suture Anchor Starter Kit. 796.00
60-27-09	Suture Anchor 2.7mm x 9mm 18.00
60-40-06	Suture Anchor 4.0mm x 6mm 18.00
60-40-10	Suture Anchor 4.0mm x 10mm 18.00
60-47-06	Suture Anchor 4.7mm x 6mm 18.00
60-47-10	Suture Anchor 4.7mm x 10mm 18.00
61-27-DR	Driver for 2.7mm Suture Anchor 110.00
61-40-DR	Driver for 4.0mm Suture Anchor 105.00
61-47-DR	Driver for 4.7mm Suture Anchor 108.00
61-CA-DD	Suture Anchor Caddy 123.00

Coxofemoral Luxation

55SKT	Coxofemoral Luxation Starter Kit 589.00
50000	Universal Aiming Device (Single-hole Drill Guide Included) 330.00
50016	Universal Aiming Device Drill Guide 1.6mm 27.00
50020	Universal Aiming Device Drill Guide 2.0mm 27.00
50023	Universal Aiming Device Drill Guide 2.3mm 27.00
50025	Universal Aiming Device Drill Guide 2.5mm 27.00
50031	Universal Aiming Device Drill Guide 3.1mm 27.00
50035	Universal Aiming Device Drill Guide 3.5mm 27.00
50039	Universal Aiming Device Drill Guide 3.9mm 27.00
50045	Universal Aiming Device Drill Guide 4.5mm 27.00
55000	Suture Passer for Toggle Pin Method. 20.00
55027	Toggle Pin 2.7mm x 10mm 14.50
55032	Toggle Pin 3.2mm x 14mm 14.50
55040	Toggle Pin 4.0mm x 18mm 14.50
55100S	Polypropylene Suture Button, Sterile 10.00
55200	Titanium Suture Button 15.25

Spiked Bone Washers

56006	Spiked Bone Washer 6mm 24.00
56011	Spiked Bone Washer 11mm 24.50

Universal Aiming Device

50000	Universal Aiming Device (Single-hole Drill Guide Included) 330.00
-------	--

SK® Range of Motion (ROM™) Hinge

430.000	Small SK® Range of Motion (ROM™) Hinge 290.00
407.050	Small Titanium Hybrid Rod 6.3mm x 50mm 12.00
407.075	Small Titanium Hybrid Rod 6.3mm x 75mm 13.50
407.100	Small Titanium Hybrid Rod 6.3mm x 100mm 14.00
407.150	Small Titanium Hybrid Rod 6.3mm x 150mm 15.25
407.200	Small Titanium Hybrid Rod 6.3mm x 200mm 21.00
407.250	Small Titanium Hybrid Rod 6.3mm x 250mm 24.00
530.000	Large SK® Range of Motion (ROM™) Hinge 315.00
530.075	Large ROM™ Hinge Rod 9.5mm x 75mm 26.00
530.100	Large ROM™ Hinge Rod 9.5mm x 100mm 27.00
530.150	Large ROM™ Hinge Rod 9.5mm x 150mm 33.00
530.200	Large ROM™ Hinge Rod 9.5mm x 200mm 37.00
531.045	Large ROM™ Hinge Adapter 45mm 40.00
531.055	Large ROM™ Hinge Adapter 55mm 40.00





Contact Us

Toll Free: 800-828-4639

Phone: 903-295-2196

Fax: 903-295-0730

imexdesk@imexvet.com

www.imexvet.com