



# PRICE LIST

Effective January 1, 2019

## Acrylx™ ESF Acrylic System

70011	Acrylx™ Applicator Gun . . . . .	159.00
70012	Acrylx™ Resin Cartridge . . . . .	96.00
70013	Acrylx™ Mixing Tip, Fine (Blue) . . . . .	1.75
70014	Acrylx™ Mixing Tip, Medium (Yellow) . . . . .	1.75
70015	Acrylx™ Mixing Tip, Large (Pink) . . . . .	1.75
70016	Acrylx™ Mixing Tip, Extra Large (Blue-green) . . . . .	1.75
70020	Acrylx™ Corrugated Tubing 6mm x 300mm . . . . .	1.75
70050	Acrylx™ Corrugated Tubing 10mm x 300mm . . . . .	1.75
70060	Acrylx™ Adapter Plug . . . . .	1.00
70060R	Acrylx™ Solid Plug . . . . .	0.50
70080	Acrylx™ Accessory Pack . . . . .	31.00

## Mini SK® ESF System

300.SKTFDF	SK® Mini ESF Starter Kit - Duraface® . . . . .	587.00
300.SKTFDFNP	SK® Mini ESF Starter Kit - Duraface® No-Point . . . . .	587.00
300.000	SK® Mini ExFix Single Clamp Complete . . . . .	17.00
300.999	SK® Mini ExFix Double Clamp Complete . . . . .	18.50
300.001	SK® Mini ExFix Pin-gripping Clamp Bolt . . . . .	9.50
300.002S	SK® Mini ExFix Clamp Body Pair . . . . .	8.25
300.003	Mini Hex Bolt 4mm x 8mm . . . . .	1.50
4.30006	Hex Nut 4mm (7mm wrench) . . . . .	1.00
24200	Mini Stainless Steel Rod 3.2mm x 50mm . . . . .	3.25
24300	Mini Stainless Steel Rod 3.2mm x 75mm . . . . .	3.50
24400	Mini Stainless Steel Rod 3.2mm x 100mm . . . . .	3.50
24500	Mini Stainless Steel Rod 3.2mm x 125mm . . . . .	3.75
24600	Mini Stainless Steel Rod 3.2mm x 150mm . . . . .	3.75
4.50003	7mm Combination Wrench . . . . .	22.00
4.50004	7mm Angled Socket Wrench . . . . .	22.00
34015	Drill Sleeve/ESF for 1.5mm Bit . . . . .	19.00
34020	Drill Sleeve/ESF for 2.0mm Bit . . . . .	19.00

## Small SK® ESF System

400.SKTFDF	SK® Small ESF Starter Kit - Duraface® . . . . .	745.00
400.SKTFDFNP	SK® Small ESF Starter Kit - Duraface® No-Point . . . . .	745.00
400.000	SK® Small ExFix Single Clamp Complete . . . . .	19.25
400.999	SK® Small ExFix Double Clamp Complete . . . . .	21.00
400.001	SK® Small ExFix Pin-gripping Clamp Bolt . . . . .	10.50
400.002S	SK® Small ExFix Clamp Body Pair . . . . .	9.50
400.003	Small Hex Bolt 5mm x 10mm . . . . .	1.50
400.004	Small Hex Nut 5mm (8mm wrench) . . . . .	1.00
405.050	Small Titanium Rod 6.3mm x 50mm . . . . .	6.00
405.100	Small Titanium Rod 6.3mm x 100mm . . . . .	9.00
405.150	Small Titanium Rod 6.3mm x 150mm . . . . .	11.75
405.200	Small Titanium Rod 6.3mm x 200mm . . . . .	15.00
405.250	Small Titanium Rod 6.3mm x 250mm . . . . .	18.50
406.050	Small Carbon Fiber Rod 6.3mm x 50mm . . . . .	6.00
406.100	Small Carbon Fiber Rod 6.3mm x 100mm . . . . .	9.75
406.150	Small Carbon Fiber Rod 6.3mm x 150mm . . . . .	14.00
406.200	Small Carbon Fiber Rod 6.3mm x 200mm . . . . .	17.00
406.250	Small Carbon Fiber Rod 6.3mm x 250mm . . . . .	21.50

408.801	8mm Combination Wrench . . . . .	22.50
408.802	8mm Angled Socket Wrench . . . . .	22.50
34023	Drill Sleeve/ESF for 2.3mm Bit . . . . .	25.00
34027	Drill Sleeve/ESF for 2.7mm Bit . . . . .	25.00
34031	Drill Sleeve/ESF for 3.1mm Bit . . . . .	25.00
430.000	Small SK® Range of Motion (ROM™) Hinge . . . . .	300.00

## Large SK® ESF System

500.SKTFDF	SK® Large ESF Starter Kit - Duraface® . . . . .	831.00
500.SKTFDFNP	SK® Large ESF Starter Kit - Duraface® No-Point . . . . .	831.00
500.000	SK® Large ExFix Single Clamp Complete . . . . .	22.50
500.999	SK® Large ExFix Double Clamp Complete . . . . .	23.00
500.001	SK® Large ExFix Pin-gripping Clamp Bolt . . . . .	12.25
500.002S	SK® Large ExFix Clamp Body Pair . . . . .	10.50
2.30006	Hex Nut 6mm (10mm wrench) . . . . .	1.00
2.30007	Hex Bolt 6mm x 12mm . . . . .	2.00
506.050	Large Carbon Fiber Rod 9.5mm x 50mm . . . . .	6.75
506.100	Large Carbon Fiber Rod 9.5mm x 100mm . . . . .	8.25
506.150	Large Carbon Fiber Rod 9.5mm x 150mm . . . . .	9.75
506.200	Large Carbon Fiber Rod 9.5mm x 200mm . . . . .	11.50
506.250	Large Carbon Fiber Rod 9.5mm x 250mm . . . . .	13.50
506.300	Large Carbon Fiber Rod 9.5mm x 300mm . . . . .	15.00
506.350	Large Carbon Fiber Rod 9.5mm x 350mm . . . . .	20.00
508.102	10mm Angled Socket Wrench . . . . .	24.00
2.50003	10mm Combination Wrench . . . . .	23.00
34031	Drill Sleeve/ESF for 3.1mm Bit . . . . .	25.00
34035	Drill Sleeve/ESF for 3.5mm Bit . . . . .	28.00
34039	Drill Sleeve/ESF for 3.9mm Bit . . . . .	28.00
530.000	Large SK® Range of Motion (ROM™) Hinge . . . . .	330.00

## SK® Hybrid External Skeletal Fixation

MHYSKT	SK® Mini Hybrid ESF Starter Kit . . . . .	383.00
HYSKT	SK® Small Hybrid ESF Starter Kit . . . . .	1510.00
410.000	Universal SK® Hybrid Adapter . . . . .	67.00
307.125	Mini Hybrid Rod 3.2mm x 125mm (4mm Thread) . . . . .	9.00
407.050	Titanium Hybrid Rod 6.3mm x 50mm . . . . .	13.00
407.075	Titanium Hybrid Rod 6.3mm x 75mm . . . . .	14.50
407.100	Titanium Hybrid Rod 6.3mm x 100mm . . . . .	15.00
407.150	Titanium Hybrid Rod 6.3mm x 150mm . . . . .	16.25
407.200	Titanium Hybrid Rod 6.3mm x 200mm . . . . .	22.00
407.250	Titanium Hybrid Rod 6.3mm x 250mm . . . . .	25.50
420.100	VariBall Locking Hybrid Rod 6.3mm x 100mm . . . . .	100.00
420.150	VariBall Locking Hybrid Rod 6.3mm x 150mm . . . . .	105.00
420.200	VariBall Locking Hybrid Rod 6.3mm x 200mm . . . . .	110.00
420.250	VariBall Locking Hybrid Rod 6.3mm x 250mm . . . . .	114.00

Prices Subject to Change



## Circular External Skeletal Fixation

2.00000	IMEX® Circular Fixation Deluxe Starter Kit . . . . .	2964.00
2.00001	IMEX® Circular Fixation Basic Starter Kit . . . . .	1770.00
<b>2.15001</b>	Full Ring 50mm x 3.2mm. . . . .	36.00
<b>2.16601</b>	Full Ring 66mm x 3.2mm. . . . .	37.50
<b>2.18401</b>	Full Ring 84mm x 4.7mm. . . . .	46.00
<b>2.11181</b>	Full Ring 118mm x 6.3mm. . . . .	59.00
<b>2.15002</b>	5/8 Ring 50mm x 3.2mm. . . . .	36.00
<b>2.16602</b>	5/8 Ring 66mm x 3.2mm. . . . .	37.50
<b>2.18402</b>	5/8 Ring 84mm x 4.7mm. . . . .	46.00
<b>2.11182</b>	5/8 Ring 118mm x 6.3mm. . . . .	59.00
<b>2.15003</b>	1/3 Ring 50mm x 3.2mm. . . . .	23.00
<b>2.16603</b>	1/3 Ring 66mm x 3.2mm. . . . .	25.25
<b>2.18403</b>	1/3 Ring 84mm x 4.7mm. . . . .	26.50
<b>2.11183</b>	1/3 Ring 118mm x 6.3mm. . . . .	37.00
<b>2.15004</b>	Stretch Ring 50mm x 3.2mm. . . . .	57.50
<b>2.16604</b>	Stretch Ring 66mm x 3.2mm. . . . .	60.00
<b>2.18404</b>	Stretch Ring 84mm x 4.7mm. . . . .	64.00
<b>2.11184</b>	Stretch Ring 118mm x 6.3mm. . . . .	67.00
<b>2.80140</b>	Spinal Arch 140mm x 6.3mm . . . . .	59.00
<b>2.80220</b>	Spinal Arch 220mm x 6.3mm . . . . .	66.00
<b>2.25500</b>	Linear Motor 50mm . . . . .	38.00
<b>2.25700</b>	Linear Motor 70mm . . . . .	40.00
<b>2.25100</b>	Linear Motor 100mm . . . . .	42.00
<b>2.26600</b>	Threaded Rod/Hex 6mm x 60mm . . . . .	10.50
<b>2.26800</b>	Threaded Rod/Hex 6mm x 80mm . . . . .	11.00
<b>2.26100</b>	Threaded Rod/Hex 6mm x 100mm . . . . .	11.50
<b>2.26150</b>	Threaded Rod/Hex 6mm x 150mm . . . . .	12.00
<b>2.26255</b>	Threaded Rod/Hex 6mm x 255mm . . . . .	16.00
<b>2.30001</b>	Extended Nut 6mm x 12mm . . . . .	10.50
<b>2.30002</b>	20mm Spacer . . . . .	6.00
<b>2.30003</b>	6mm x 40mm Hex Bolt . . . . .	3.50
<b>2.30004</b>	Cannulated/Slotted Wire Fixation Bolt 6mm. . . . .	11.00
<b>2.30005</b>	Slotted Wire Fixation Washer 6mm . . . . .	5.75
<b>2.30006</b>	Hex Nut 6mm Stainless Steel . . . . .	1.00
<b>2.30007</b>	6mm x 12mm Hex Bolt Stainless Steel . . . . .	2.00
<b>2.30008</b>	6mm Flat Washer . . . . .	1.00
<b>2.30009</b>	Half-pin Fixation Bolt . . . . .	15.50
<b>2.30016</b>	6mm x 16mm Hex Bolt Stainless Steel . . . . .	3.00
<b>2.70001</b>	Nylon Zero Tolerance Nut . . . . .	5.50
<b>2.70002</b>	Two-hole Ring/Motor Plate . . . . .	12.00
<b>2.70005</b>	One-hole Post . . . . .	19.50
<b>2.70006</b>	Two-hole Post . . . . .	20.50
<b>2.70007</b>	6mm Spherical Nut . . . . .	6.75
<b>2.70008</b>	6mm Spherical Washer . . . . .	5.25
<b>2.60001</b>	Angular Hinge Assembly . . . . .	32.50
<b>2.60002</b>	Angular Motor Assembly 100mm. . . . .	108.00
<b>2.60003</b>	Angular Motor Assembly 150mm. . . . .	112.00
<b>2.40001</b>	Smooth Fixation Wire 1.6mm x 220mm. . . . .	10.50
<b>2.40002</b>	Stopper Fixation Wire 1.6mm x 200mm . . . . .	16.50
<b>2.40003</b>	Stopper Fixation Wire 1.3mm x 165mm . . . . .	16.50
<b>2.50001</b>	3mm Hex Driver, Straight. . . . .	19.50
<b>2.50002</b>	3mm Hex Driver, "L" . . . . .	21.00
<b>2.50005</b>	10mm Double Wrench for Nylon Nut . . . . .	75.00
<b>508.102</b>	10mm Angled Socket Wrench. . . . .	24.00
<b>2.50003</b>	10mm Combination Wrench . . . . .	23.00
<b>2.50014</b>	Dyna™ Wire Tensioner . . . . .	295.00
<b>2.80001</b>	Small SK® Clamp for 6mm Threaded Rod . . . . .	23.00

## Miniature Circular External Skeletal Fixation

<b>4.00001</b>	IMEX® Miniature Circular Fixation Starter Kit. . . . .	769.00
<b>4.13501</b>	Full Ring 35mm x 2.4mm, Mini . . . . .	28.00
<b>4.14501</b>	Full Ring 45mm x 2.4mm, Mini . . . . .	31.00
<b>4.14504</b>	Stretch Ring 45mm x 2.4mm, Mini . . . . .	33.00
<b>4.26050</b>	Threaded Rod 4mm x 50mm. . . . .	5.50
<b>4.26075</b>	Threaded Rod 4mm x 75mm. . . . .	5.75
<b>4.26100</b>	Threaded Rod 4mm x 100mm. . . . .	6.25
<b>4.30001</b>	4mm Slotted/Cannulated Wire Fixation Bolt (6 per pkg). . . . .	36.50
<b>4.30005</b>	4mm Slotted Wire Fixation Washer (6 per pkg) . . . . .	41.50
<b>4.30006</b>	4mm Hex Nut Stainless. . . . .	1.00
<b>4.30008</b>	4mm Flat Washer Stainless . . . . .	0.50
<b>4.60001</b>	Angular Hinge Assembly, Mini . . . . .	27.50
<b>4.70001</b>	4mm Nylon Zero Tolerance Nut . . . . .	5.50
<b>4.70005</b>	One-hole Post, Mini . . . . .	16.00
<b>4.70007</b>	4mm Spherical Nut . . . . .	5.25
<b>4.70008</b>	4mm Spherical Washer . . . . .	4.00
<b>300.003</b>	Hex Bolt 4mm x 8mm . . . . .	1.50
<b>4.50003</b>	7mm Combination Wrench . . . . .	22.00
<b>4.50004</b>	7mm Angled Socket Wrench . . . . .	22.00
<b>4.50005</b>	7mm Double Wrench for Zero Tolerance Nuts . . . . .	72.00
<b>4.40002</b>	Stopper Wire 1.0mm x 125mm, Trocar Point. . . . .	11.00

## Miniature ESF Full-Pins (6 per package)

<b>02035</b>	0.9mm (0.035") Shaft Miniature Centerface® Full-pin . . . . .	54.50
<b>02045</b>	1.1mm (0.045") Shaft Miniature Centerface® Full-pin . . . . .	54.50
<b>02062</b>	1.6mm (0.062") Shaft Miniature Centerface® Full-pin . . . . .	54.50

## Miniature ESF Half-Pins (6 per package)

<b>03035</b>	0.9mm (0.035") Shaft Miniature Interface® Half-pin. . . . .	28.50
<b>03045</b>	1.1mm (0.045") Shaft Miniature Interface® Half-pin. . . . .	28.50
<b>03062</b>	1.6mm (0.062") Shaft Miniature Interface® Half-pin. . . . .	28.50
<b>03078</b>	2.0mm (5/64") Shaft Miniature Interface® Half-pin. . . . .	28.50
<b>03094</b>	2.4mm (3/32") Shaft Miniature Interface® Half-pin (1 per pkg) . . . . .	7.50

## Miniature Stick-Pins (6 per package)

<b>06035</b>	0.9mm (0.035") Shaft Miniature Stick-pin . . . . .	28.50
<b>06045</b>	1.1mm (0.045") Shaft Miniature Stick-pin . . . . .	28.50
<b>06062</b>	1.6mm (0.062") Shaft Miniature Stick-pin . . . . .	28.50
<b>06078</b>	2.0mm (5/64") Shaft Miniature Stick-pin . . . . .	28.50

Prices Subject to Change

## Interface® ESF Half-Pins

15020	Interface® 2.0/2.5mm . . . . .	9.75
15332	Interface® 2.4/3.2mm . . . . .	10.25
15764	Interface® 2.8/3.5mm . . . . .	10.75
15030	Interface® 3.0/3.5mm . . . . .	10.75
15180	Interface® 3.2/4.0mm . . . . .	10.75
15964	Interface® 3.5/4.3mm . . . . .	11.75
15532	Interface® 4.0/4.8mm . . . . .	14.00
15020NP	Interface® No-Point 2.0/2.5mm . . . . .	9.50
15332NP	Interface® No-Point 2.4/3.2mm . . . . .	10.00
15764NP	Interface® No-Point 2.8/3.5mm . . . . .	10.50
15180NP	Interface® No-Point 3.2/4.0mm . . . . .	10.50
15964NP	Interface® No-Point 3.5/4.3mm . . . . .	11.50
15532NP	Interface® No-Point 4.0/4.8mm . . . . .	13.50
1533L	Interface® 2.4/3.2mm Ext. Length . . . . .	10.75
1576L	Interface® 2.8/3.5mm Ext. Length . . . . .	11.75
1518L	Interface® 3.2/4.0mm Ext. Length . . . . .	12.00
1596L	Interface® 3.5/4.3mm Ext. Length . . . . .	14.00
1553L	Interface® 4.0/4.8mm Ext. Length . . . . .	15.25
1533LNP	Interface® No-Point 2.4/3.2mm Ext. Length . . . . .	10.25
1576LNP	Interface® No-Point 2.8/3.5mm Ext. Length . . . . .	11.50
1518LNP	Interface® No-Point 3.2/4.0mm Ext. Length . . . . .	11.75
1596LNP	Interface® No-Point 3.5/4.3mm Ext. Length . . . . .	13.75
1553LNP	Interface® No-Point 4.0/4.8mm Ext. Length . . . . .	15.00
16332	Interface® Cancellous 2.4/3.5mm . . . . .	11.75
16180	Interface® Cancellous 3.2/4.8mm . . . . .	14.50
16316	Interface® Cancellous 4.8/6.3mm . . . . .	18.50
1633L	Interface® Cancellous 2.4/3.5mm Ext. Length . . . . .	14.25
1618L	Interface® Cancellous 3.2/4.8mm Ext. Length . . . . .	17.00
1631L	Interface® Cancellous 4.8/6.3mm Ext. Length . . . . .	21.00

## Centerface® ESF Full-Pins

20020	Centerface® 2.0/2.5mm . . . . .	10.50
20332	Centerface® 2.4/3.2mm . . . . .	10.75
20764	Centerface® 2.8/3.5mm . . . . .	13.00
20030	Centerface® 3.0/3.5mm . . . . .	13.00
20180	Centerface® 3.2/4.0mm . . . . .	13.25
20964	Centerface® 3.5/4.3mm . . . . .	14.50
20532	Centerface® 4.0/4.8mm . . . . .	15.25
20020NP	Centerface® No-Point 2.0/2.5mm . . . . .	10.00
20332NP	Centerface® No-Point 2.4/3.2mm . . . . .	10.25
20764NP	Centerface® No-Point 2.8/3.5mm . . . . .	12.50
20180NP	Centerface® No-Point 3.2/4.0mm . . . . .	12.75
20964NP	Centerface® No-Point 3.5/4.3mm . . . . .	14.00
20532NP	Centerface® No-Point 4.0/4.8mm . . . . .	14.75
2033L	Centerface® 2.4/3.2mm Ext. Length . . . . .	12.25
2076L	Centerface® 2.8/3.5mm Ext. Length . . . . .	13.50
2018L	Centerface® 3.2/4.0mm Ext. Length . . . . .	14.00
2096L	Centerface® 3.5/4.3mm Ext. Length . . . . .	15.25
2053L	Centerface® 4.0/4.8mm Ext. Length . . . . .	18.00
2033LNP	Centerface® No-Point 2.4/3.2mm Ext. Length . . . . .	11.75
2076LNP	Centerface® No-Point 2.8/3.5mm Ext. Length . . . . .	13.00
2018LNP	Centerface® No-Point 3.2/4.0mm Ext. Length . . . . .	13.50
2096LNP	Centerface® No-Point 3.5/4.3mm Ext. Length . . . . .	14.75
2053LNP	Centerface® No-Point 4.0/4.8mm Ext. Length . . . . .	17.50
21332	Centerface® Cancellous 2.4/3.5mm . . . . .	14.00
21180	Centerface® Cancellous 3.2/4.8mm . . . . .	15.75
21316	Centerface® Cancellous 4.8/6.3mm . . . . .	20.50
2133L	Centerface® Cancellous 2.4/3.5mm Ext. Length . . . . .	15.00
2118L	Centerface® Cancellous 3.2/4.8mm Ext. Length . . . . .	17.00
2131L	Centerface® Cancellous 4.8/6.3mm Ext. Length . . . . .	27.00

## Duraface® ESF Half-Pins

17020	Duraface® 2.5mm . . . . .	9.75
17332	Duraface® 3.2mm . . . . .	10.25
17764	Duraface® 3.5mm . . . . .	10.50
17180	Duraface® 4.0mm . . . . .	10.75
17964	Duraface® 4.3mm . . . . .	11.75
17532	Duraface® 4.8mm . . . . .	14.00
17020NP	Duraface® No-Point 2.5mm . . . . .	9.50
17332NP	Duraface® No-Point 3.2mm . . . . .	10.00
17764NP	Duraface® No-Point 3.5mm . . . . .	10.25
17180NP	Duraface® No-Point 4.0mm . . . . .	10.50
17964NP	Duraface® No-Point 4.3mm . . . . .	11.50
17532NP	Duraface® No-Point 4.8mm . . . . .	13.50
1733L	Duraface® 3.2mm Ext. Length . . . . .	10.50
1776L	Duraface® 3.5mm Ext. Length . . . . .	11.75
1718L	Duraface® 4.0mm Ext. Length . . . . .	12.00
1796L	Duraface® 4.3mm Ext. Length . . . . .	14.00
1753L	Duraface® 4.8mm Ext. Length . . . . .	15.25
1733LNP	Duraface® No-Point 3.2mm Ext. Length . . . . .	10.25
1776LNP	Duraface® No-Point 3.5mm Ext. Length . . . . .	11.50
1718LNP	Duraface® No-Point 4.0mm Ext. Length . . . . .	11.75
1796LNP	Duraface® No-Point 4.3mm Ext. Length . . . . .	13.75
1753LNP	Duraface® No-Point 4.8mm Ext. Length . . . . .	15.00
17020SNP	Duraface® Short No-Point 2.5mm . . . . .	9.50
17332SNP	Duraface® Short No-Point 3.2mm . . . . .	10.00
17764SNP	Duraface® Short No-Point 3.5mm . . . . .	10.25
17180SNP	Duraface® Short No-Point 4.0mm . . . . .	10.50
17964SNP	Duraface® Short No-Point 4.3mm . . . . .	11.50
17532SNP	Duraface® Short No-Point 4.8mm . . . . .	13.50

## Pin Caps

CAPBLACK	Pin Cap, Black 2.0mm (~50 per pkg) . . . . .	10.00
CAPWHITE	Pin Cap, White 2.4mm (~50 per pkg) . . . . .	10.00
CAPBLUE	Pin Cap, Blue 3.2mm (~50 per pkg) . . . . .	10.00
CAPGRAY	Pin Cap, Gray 4.0mm (~50 per pkg) . . . . .	10.00

Prices Subject to Change



## Large Animal Transfixation Pins

<b>2231LA</b>	Duraface® L.A. Transfixation Pin/Central Threads 4.8/6.3mm Shaft . . . . .	28.00
<b>2131T</b>	Tap for 4.8mm Duraface® L.A. Transfixation Pin (Part No. 2231LA) . . . . .	88.00
<b>22140</b>	Duraface® L.A. Transfixation Pin/Central Threads 6.3/8.0mm Shaft . . . . .	35.00
<b>2114T</b>	Tap for 6.3mm Duraface® L.A. Transfixation Pin (Part No. 22140) . . . . .	90.00

## TPLO Support Products

<b>22222</b>	SCAT™ TPLO Jig Pin 1.6mm . . . . .	5.50
<b>23222</b>	SCAT™ TPLO Jig Pin 2.0mm . . . . .	5.50
<b>24222</b>	SCAT™ TPLO Jig Pin 2.4mm . . . . .	6.00
<b>25030</b>	SCAT™ TPLO Jig Pin 3.0mm . . . . .	6.50
<b>25222</b>	SCAT™ TPLO Jig Pin 3.2mm . . . . .	6.75
<b>29000</b>	TPLO Saw Blade Adapter . . . . .	74.00
<b>29210</b>	Parallel Pin Guide 1.6mm / 2.0mm . . . . .	108.00
<b>29200</b>	Mini TPLO Jig . . . . .	250.00
<b>29216</b>	Mini TPLO Jig Limb 1.6mm . . . . .	54.00
<b>29016</b>	TPLO Reduction Pin 1.6mm x 130mm . . . . .	7.00
<b>29020</b>	TPLO Reduction Pin 2.0mm x 155mm . . . . .	7.25

## Ventura Stifle Thrust Levers

<b>29400</b>	Mini Ventura Stifle Thrust Lever . . . . .	195.00
<b>29500</b>	Standard Ventura Stifle Thrust Lever . . . . .	195.00

## Trans-iliac Rods And Nuts

<b>57032</b>	Trans-iliac Rod 3.2mm x 125mm . . . . .	17.00
<b>57040</b>	Trans-iliac Rod 4.0mm x 155mm . . . . .	18.50
<b>57047</b>	Trans-iliac Rod 4.7mm x 175mm . . . . .	20.50
<b>57132</b>	Trans-iliac Nut 3.2mm . . . . .	11.00
<b>57140</b>	Trans-iliac Nut 4.0mm . . . . .	11.00
<b>57147</b>	Trans-iliac Nut 4.7mm . . . . .	11.00
<b>57232</b>	Multi-purpose Orthopedic Washer 9mm . . . . .	10.75
<b>57240</b>	Multi-purpose Orthopedic Washer 10mm . . . . .	10.75
<b>57247</b>	Multi-purpose Orthopedic Washer 11mm . . . . .	10.75
<b>4.50003</b>	7mm Combination Wrench . . . . .	22.00
<b>4.50004</b>	7mm Angled Socket Wrench . . . . .	22.00
<b>408.801</b>	8mm Combination Wrench . . . . .	22.50
<b>408.802</b>	8mm Angled Socket Wrench . . . . .	22.50

## Drill Bits

<b>32020</b>	StickTite™ Drill Bit 2.0mm x 120mm . . . . .	40.00
<b>32023</b>	StickTite™ Drill Bit 2.3mm x 125mm . . . . .	40.00
<b>32025</b>	StickTite™ Drill Bit 2.5mm x 135mm . . . . .	40.00
<b>32027</b>	StickTite™ Drill Bit 2.7mm x 140mm . . . . .	40.00
<b>32031</b>	StickTite™ Drill Bit 3.1mm x 150mm . . . . .	40.00
<b>32035</b>	StickTite™ Drill Bit 3.5mm x 160mm . . . . .	41.00
<b>32039</b>	StickTite™ Drill Bit 3.9mm x 165mm . . . . .	41.00
<b>32062</b>	StickTite™ Drill Bit 6.2mm x 180mm . . . . .	55.00
<b>33011</b>	Standard ESF Drill Bit 1.1mm x 75mm . . . . .	44.00
<b>33015</b>	Standard ESF Drill Bit 1.5mm x 85mm . . . . .	44.00
<b>33023</b>	Standard ESF Drill Bit 2.3mm x 130mm . . . . .	30.00
<b>33031</b>	Standard ESF Drill Bit 3.1mm x 150mm . . . . .	30.00
<b>33039</b>	Standard ESF Drill Bit 3.9mm x 160mm . . . . .	30.00
<b>33047</b>	Standard ESF Drill Bit 4.7mm x 170mm . . . . .	40.00

## Drill Sleeves

<b>34015</b>	Drill Sleeve/ESF for 1.5mm Bit . . . . .	19.00
<b>34020</b>	Drill Sleeve/ESF for 2.0mm Bit . . . . .	19.00
<b>34023</b>	Drill Sleeve/ESF for 2.3mm Bit . . . . .	25.00
<b>34027</b>	Drill Sleeve/ESF for 2.7mm Bit . . . . .	25.00
<b>34031</b>	Drill Sleeve/ESF for 3.1mm Bit . . . . .	25.00
<b>34035</b>	Drill Sleeve/ESF for 3.5mm Bit . . . . .	28.00
<b>34039</b>	Drill Sleeve/ESF for 3.9mm Bit . . . . .	28.00

## IM Pins

<b>10SKT</b>	Smooth IM Pin Starter Kit . . . . .	208.00
<b>10116</b>	Smooth Trocar/Trocar IM Pin 1/16" x 9" (1.6mm x 230mm) . . . . .	4.50
<b>10564</b>	Smooth Trocar/Trocar IM Pin 5/64" x 9" (2.0mm x 230mm) . . . . .	5.00
<b>10332</b>	Smooth Trocar/Trocar IM Pin 3/32" x 9" (2.4mm x 230mm) . . . . .	5.25
<b>10764</b>	Smooth Trocar/Trocar IM Pin 7/64" x 9" (2.8mm x 230mm) . . . . .	5.50
<b>10180</b>	Smooth Trocar/Trocar IM Pin 1/8" x 9" (3.2mm x 230mm) . . . . .	5.50
<b>1018L</b>	Smooth Trocar/Trocar IM Pin 1/8" x 12" (3.2mm x 305mm) . . . . .	7.00
<b>10964</b>	Smooth Trocar/Trocar IM Pin 9/64" x 9" (3.5mm x 230mm) . . . . .	6.25
<b>10532</b>	Smooth Trocar/Trocar IM Pin 5/32" x 9" (4.0mm x 230mm) . . . . .	6.50
<b>1053L</b>	Smooth Trocar/Trocar IM Pin 5/32" x 12" (4.0mm x 305mm) . . . . .	8.25
<b>1031S</b>	Smooth Trocar/Trocar IM Pin 3/16" x 9" (4.8mm x 230mm) . . . . .	8.50
<b>10316</b>	Smooth Trocar/Trocar IM Pin 3/16" x 12" (4.8mm x 305mm) . . . . .	9.50
<b>1014S</b>	Smooth Trocar/Trocar IM Pin 1/4" x 9" (6.3mm x 230mm) . . . . .	12.25
<b>10140</b>	Smooth Trocar/Trocar IM Pin 1/4" x 12" (6.3mm x 305mm) . . . . .	14.50
<b>11SKT</b>	Partial Thread IM Pin Starter Kit . . . . .	239.00
<b>11116</b>	Partial Thread Trocar/Trocar IM Pin 1/16" x 9" (1.6mm x 230mm) . . . . .	6.00
<b>11564</b>	Partial Thread Trocar/Trocar IM Pin 5/64" x 9" (2.0mm x 230mm) . . . . .	6.50
<b>11332</b>	Partial Thread Trocar/Trocar IM Pin 3/32" x 9" (2.4mm x 230mm) . . . . .	7.00
<b>11764</b>	Partial Thread Trocar/Trocar IM Pin 7/64" x 9" (2.8mm x 230mm) . . . . .	7.25
<b>11180</b>	Partial Thread Trocar/Trocar IM Pin 1/8" x 9" (3.2mm x 230mm) . . . . .	7.50
<b>11964</b>	Partial Thread Trocar/Trocar IM Pin 9/64" x 9" (3.5mm x 230mm) . . . . .	8.00
<b>11532</b>	Partial Thread Trocar/Trocar IM Pin 5/32" x 9" (4.0mm x 230mm) . . . . .	8.75
<b>11316</b>	Partial Thread Trocar/Trocar IM Pin 3/16" x 12" (4.8mm x 305mm) . . . . .	11.50
<b>11140</b>	Partial Thread Trocar/Trocar IM Pin 1/4" x 12" (6.3mm x 305mm) . . . . .	16.50

## K-Wire (6 per package)

<b>00028</b>	K-wire 0.028" x 5" (0.7mm x 125mm) . . . . .	18.75
<b>00035</b>	K-wire 0.035" x 6" (0.9mm x 150mm) . . . . .	18.75
<b>00045</b>	K-wire 0.045" x 6" (1.1mm x 150mm) . . . . .	18.75
<b>00062</b>	K-wire 0.062" x 6" (1.6mm x 150mm) . . . . .	18.75
<b>01035</b>	K-wire 0.035" x 9" (0.9mm x 230mm) . . . . .	19.75
<b>01045</b>	K-wire 0.045" x 9" (1.1mm x 230mm) . . . . .	19.75
<b>01054</b>	K-wire 0.054" x 9" (1.4mm x 230mm) . . . . .	19.75
<b>01062</b>	K-wire 0.062" x 9" (1.6mm x 230mm) . . . . .	19.75
<b>30015</b>	K-wire Bender 0.9mm – 1.1mm . . . . .	60.00
<b>30016</b>	K-wire Bender 1.4mm – 1.6mm . . . . .	60.00

Prices Subject to Change

<b>04016</b>	Orthopedic Wire, 1.2mm (16 gauge) 1 oz. Spool. . . . .	14.75
<b>04018</b>	Orthopedic Wire, 1.0mm (18 gauge) 1 oz. Spool. . . . .	14.75
<b>04020</b>	Orthopedic Wire, 0.8mm (20 gauge) 1 oz. Spool. . . . .	14.75
<b>04022</b>	Orthopedic Wire, 0.6mm (22 gauge) 1 oz. Spool. . . . .	14.75

<b>05016</b>	Orthopedic Wire, 1.2mm (16 gauge) 10 meters. . . . .	22.50
<b>05018</b>	Orthopedic Wire, 1.0mm (18 gauge) 10 meters. . . . .	20.25
<b>05020</b>	Orthopedic Wire, 0.8mm (20 gauge) 10 meters. . . . .	17.50
<b>05022</b>	Orthopedic Wire, 0.6mm (22 gauge) 10 meters. . . . .	15.00

### Pin And Wire Accessories

<b>30001</b>	Extended Chuck & Key for Power Surgery Drill . . . . .	188.00
<b>30002</b>	Hand Chuck with Key & Extension . . . . .	187.00
<b>30003</b>	Chuck Key Only . . . . .	17.00
<b>30010</b>	Power Surgery Drill w/Extended Chuck & Key . . . . .	355.00
<b>30005</b>	IM Pin Organizer Bag. . . . .	35.00
<b>30006</b>	Cloth Drill Shroud. . . . .	27.00
<b>30008</b>	Mini Hand Chuck. . . . .	186.00
<b>30009</b>	IM Pin Gauge/Scale. . . . .	27.00
<b>30015</b>	K-wire Bender 0.9mm – 1.1mm . . . . .	60.00
<b>30016</b>	K-wire Bender 1.4mm – 1.6mm . . . . .	60.00

### Suture Anchors

<b>60-00-00</b>	Suture Anchor Starter Kit. . . . .	835.00
<b>60-27-09</b>	Suture Anchor 2.7mm x 9mm . . . . .	18.50
<b>60-40-06</b>	Suture Anchor 4.0mm x 6mm . . . . .	18.50
<b>60-40-10</b>	Suture Anchor 4.0mm x 10mm . . . . .	18.50
<b>60-47-06</b>	Suture Anchor 4.7mm x 6mm . . . . .	18.50
<b>60-47-10</b>	Suture Anchor 4.7mm x 10mm . . . . .	18.50
<b>61-27-DR</b>	Driver for 2.7mm Suture Anchor . . . . .	115.00
<b>61-40-DR</b>	Driver for 4.0mm Suture Anchor . . . . .	110.00
<b>61-47-DR</b>	Driver for 4.7mm Suture Anchor . . . . .	115.00

<b>61-CA-DD</b>	Suture Anchor Caddy . . . . .	130.00
-----------------	-------------------------------	--------

### Coxofemoral Luxation

<b>55SKT</b>	Coxofemoral Luxation Starter Kit . . . . .	615.00
<b>50000</b>	Universal Aiming Device (Single-hole Drill Guide Included) . . . . .	340.00
<b>50016</b>	Universal Aiming Device Drill Guide 1.6mm . . . . .	28.00
<b>50020</b>	Universal Aiming Device Drill Guide 2.0mm . . . . .	28.00
<b>50023</b>	Universal Aiming Device Drill Guide 2.3mm . . . . .	28.00
<b>50025</b>	Universal Aiming Device Drill Guide 2.5mm . . . . .	28.00
<b>50027</b>	Universal Aiming Device Drill Guide 2.7mm . . . . .	28.00
<b>50031</b>	Universal Aiming Device Drill Guide 3.1mm . . . . .	28.00
<b>50035</b>	Universal Aiming Device Drill Guide 3.5mm . . . . .	28.00
<b>50039</b>	Universal Aiming Device Drill Guide 3.9mm . . . . .	28.00
<b>50045</b>	Universal Aiming Device Drill Guide 4.5mm . . . . .	28.00
<b>55000</b>	Suture Passer for Toggle Pin Method. . . . .	21.00
<b>55027</b>	Toggle Pin 2.7mm x 10mm . . . . .	15.00
<b>55032</b>	Toggle Pin 3.2mm x 14mm . . . . .	15.00
<b>55040</b>	Toggle Pin 4.0mm x 18mm . . . . .	15.00
<b>55100S</b>	Polypropylene Suture Button, Sterile . . . . .	10.75
<b>55200</b>	Titanium Suture Button . . . . .	15.75

### Spiked Bone Washers

<b>56006</b>	Spiked Bone Washer 6mm . . . . .	25.00
<b>56011</b>	Spiked Bone Washer 11mm . . . . .	25.00

### Universal Aiming Device

<b>50000</b>	Universal Aiming Device (Single-hole Drill Guide Included) . . . . .	340.00
--------------	---	--------

### SK® Range of Motion (ROM™) Hinge

<b>430.000</b>	Small SK® Range of Motion (ROM™) Hinge . . . . .	300.00
<b>407.050</b>	Small Titanium Hybrid Rod 6.3mm x 50mm . . . . .	13.00
<b>407.075</b>	Small Titanium Hybrid Rod 6.3mm x 75mm . . . . .	14.50
<b>407.100</b>	Small Titanium Hybrid Rod 6.3mm x 100mm . . . . .	15.00
<b>407.150</b>	Small Titanium Hybrid Rod 6.3mm x 150mm . . . . .	16.25
<b>407.200</b>	Small Titanium Hybrid Rod 6.3mm x 200mm . . . . .	22.00
<b>407.250</b>	Small Titanium Hybrid Rod 6.3mm x 250mm . . . . .	25.50
<b>530.000</b>	Large SK® Range of Motion (ROM™) Hinge . . . . .	330.00
<b>530.075</b>	Large ROM™ Hinge Rod 9.5mm x 75mm . . . . .	27.00
<b>530.100</b>	Large ROM™ Hinge Rod 9.5mm x 100mm . . . . .	28.50
<b>530.150</b>	Large ROM™ Hinge Rod 9.5mm x 150mm . . . . .	35.00
<b>530.200</b>	Large ROM™ Hinge Rod 9.5mm x 200mm . . . . .	39.00
<b>531.045</b>	Large ROM™ Hinge Adapter 45mm . . . . .	41.00
<b>531.055</b>	Large ROM™ Hinge Adapter 55mm . . . . .	41.00

### VetKISS™ Micro Plating System

<b>70-0010</b>	VetKISS™ Starter Set 1.0 mm . . . . .	1550.00
<b>70-0014</b>	VetKISS™ Starter Set 1.4 mm . . . . .	1750.00
<b>70-0016</b>	VetKISS™ Starter Set 1.6 mm . . . . .	1900.00
<b>70-3101R</b>	VetKISS™ Rigid Plate, Straight 1.0 mm . . . . .	105.00
<b>70-3102R</b>	VetKISS™ Rigid Plate, TL 1.0 mm . . . . .	110.00
<b>70-3141R</b>	VetKISS™ Rigid Plate, Straight 1.4 mm . . . . .	110.00
<b>70-3142R</b>	VetKISS™ Rigid Plate, TL 1.4 mm . . . . .	120.00
<b>70-3161R</b>	VetKISS™ Rigid Plate, Straight 1.6 mm . . . . .	120.00
<b>70-3162R</b>	VetKISS™ Rigid Plate, TL 1.6 mm . . . . .	130.00
<b>70-3101X</b>	VetKISS™ X-plate, Straight 1.0 mm . . . . .	105.00
<b>70-3102X</b>	VetKISS™ X-plate, TL 1.0 mm . . . . .	110.00
<b>70-3141X</b>	VetKISS™ X-plate, Straight 1.4 mm . . . . .	110.00
<b>70-3142X</b>	VetKISS™ X-plate, TL 1.4 mm . . . . .	120.00
<b>70-3161X</b>	VetKISS™ X-plate, Straight 1.6 mm . . . . .	120.00
<b>70-3162X</b>	VetKISS™ X-Plate, TL 1.6 mm . . . . .	130.00
<b>70-1004</b>	VetKISS™ Screw 1.0 x 4 mm . . . . .	18.00
<b>70-1005</b>	VetKISS™ Screw 1.0 x 5 mm . . . . .	18.00
<b>70-1006</b>	VetKISS™ Screw 1.0 x 6 mm . . . . .	18.00
<b>70-1007</b>	VetKISS™ Screw 1.0 x 7 mm . . . . .	18.00
<b>70-1008</b>	VetKISS™ Screw 1.0 x 8 mm . . . . .	18.00
<b>70-1010</b>	VetKISS™ Screw 1.0 x 10 mm . . . . .	18.00
<b>70-1404</b>	VetKISS™ Screw 1.4 x 4 mm . . . . .	18.00
<b>70-1405</b>	VetKISS™ Screw 1.4 x 5 mm . . . . .	18.00
<b>70-1406</b>	VetKISS™ Screw 1.4 x 6 mm . . . . .	18.00
<b>70-1407</b>	VetKISS™ Screw 1.4 x 7 mm . . . . .	18.00
<b>70-1408</b>	VetKISS™ Screw 1.4 x 8 mm . . . . .	18.00
<b>70-1410</b>	VetKISS™ Screw 1.4 x 10 mm . . . . .	18.00
<b>70-1412</b>	VetKISS™ Screw 1.4 x 12 mm . . . . .	18.00
<b>70-1604</b>	VetKISS™ Screw 1.6 x 4 mm . . . . .	18.00
<b>70-1605</b>	VetKISS™ Screw 1.6 x 5 mm . . . . .	18.00
<b>70-1606</b>	VetKISS™ Screw 1.6 x 6 mm . . . . .	18.00
<b>70-1607</b>	VetKISS™ Screw 1.6 x 7 mm . . . . .	18.00
<b>70-1608</b>	VetKISS™ Screw 1.6 x 8 mm . . . . .	18.00
<b>70-1610</b>	VetKISS™ Screw 1.6 x 10 mm . . . . .	18.00
<b>70-1612</b>	VetKISS™ Screw 1.6 x 12 mm . . . . .	18.00
<b>70-1614</b>	VetKISS™ Screw 1.6 x 14 mm . . . . .	18.00

Prices Subject to Change



---

## VetKISS™ Micro Plating System (continued)

70-4080	VetKISS™ Drill Bit (1.5 mm Shaft) 0.8 mm . . . . .	34.00
70-4115	VetKISS™ Drill Bit (1.5 mm Shaft) 1.15 mm . . . . .	34.00
70-4130	VetKISS™ Drill Bit (1.5 mm Shaft) 1.3 mm . . . . .	34.00
70-4080P	VetKISS™ Drill Bit (2.35 mm Shaft) 0.8 mm . . . . .	34.00
70-4115P	VetKISS™ Drill Bit (2.35 mm Shaft) 1.15 mm . . . . .	34.00
70-4130P	VetKISS™ Drill Bit (2.35 mm Shaft) 1.3 mm . . . . .	34.00
70-5018	VetKISS™ Hex Driver 1.8 mm. . . . .	45.00
70-5025	VetKISS™ Hex Driver 2.5 mm. . . . .	45.00
70-6001	VetKISS™ Multifunction Pliers . . . . .	125.00
70-6002	VetKISS™ Finger Driver . . . . .	160.00
70-6003	VetKISS™ Plate Cutters . . . . .	240.00
70-6004	VetKISS™ Depth Gauge . . . . .	240.00
70-6005	VetKISS™ MicroDrill . . . . .	890.00
70-7010	VetKISS™ Implant Caddy 1.0 mm . . . . .	260.00
70-7014	VetKISS™ Implant Caddy 1.4 mm . . . . .	260.00
70-7016	VetKISS™ Implant Caddy 1.6 mm . . . . .	260.00

*Prices Subject to Change*





## Contact Us

Toll Free: 800-828-4639

Phone: 903-295-2196

Fax: 903-295-0730

[imexdesk@imexvet.com](mailto:imexdesk@imexvet.com)

[www.imexvet.com](http://www.imexvet.com)